



C5100 Analyzer

cadex.com/c5

SIMPLICITY AT ITS BEST BATTERY TESTING FOR EVERYONE

Look no further. The C5100 is your ultimate tool for on-site testing, whether on your store or your warehouse. Minimal technical knowledge is required to test your batteries in no time and avoid extra costs and increase your customer's satisfaction.



CONNECT VIA USB SERIAL PORT

LITHIUM INSIDE-OUT REACTIVATE LITHIUM-ION BATTERIES

The C5100 is designed specifically to test Lithium-ion batteries from 500 to 5,000 mAh, from 3.6 to 7.2V. We worked hard to build-in a simple tool with pre-programmed adapters to test your Li-ion batteries in a matter of seconds.

LIGHTNING SPEED IN A 30 SECOND TEST

EADE

C5100

The heart of the Cadex C5100 is QuickSort[™], a patented rapid-test technology that sorts battery state-of-health into three categories: Good, Fair and Poor in just 30 seconds.

Alternatively, you can also Charge the battery in 3 hours, or Cycle it with a full charge/discharge/charge cycle with capacity readout in mAh.

CAPACITY RANGE 500mAh -5,000mAh

RANGE **3.6V, 2A, 8W** CHARGE/DISCHARGE

> 30 SECOND TEST

FULLY PROGRAMMABLE WITH THE OPTIONAL SOFTWARE

Operate your unit as standalone, or connect it to the PC BatteryStore[™] software to streamline battery testing to increase customer satisfaction and reduce your costs.

- Print receipts or service reports
- Record, analyze and export battery test results
- Import battery information from the Cadex Battery Database

File Test Profile	Results Options CS100 Setup Help Battery Test See 1 Select Battery Model User Societed Reing S	Ter Salar
	Seisci from Eassey Model Seisci Manufacture: Model Orientery: Model Orientery: Model Seisci 2 Run Battery Test User (D	Terry
	Service Notes (255 characters maximum) Test Durys Step 3 Perc	- Com
	Auto Prez Test Report	100

INTUITIVE SOFTWARE PC BATTERYSTORE™

PC-BatteryStore[™] software provides an extension to storefront battery testing. With a PC, you can store customer information, record anomalies and print service report carrying the name of your business. PC-BatteryStore[™] streamlines battery testing to increase customer traffic and generate additional revenue. You can record and export test results to a database and evaluate unique battery issues across multiple locations.

Learn more at cadex.com/batterystore

SIMPLE TO USE

As most batteries for mobile phone are single-cell Li-ion, only the mAh rating needs setting. The User ID identifies the person doing the test, and Service Notes enables adding anecdotes. PC-BatteryStore[™] also allows downloading updates of battery types.

- Provides customers with a receipt or service report
- Records, analyzers and exports battery test results
- Imports battery information from Cadex Battery Database



IT'S THAT SIMPLE



4 PROGRAMS TO CHOOSE FROM



TEST Checks the battery in just 30 seconds



CHARGE Charge the battery in approximately 3 hours



Charge-discharge-charge and readout in %



Revive over-discharged batteries

TEST RESULTS FROM QUICKSORT™ 3

G00D

80–100%, can be reused



70–80%, replacement recommended



70% and less, faulty; discard



QUICKSORT[™] 3 BUILT-IN

QuickSort[™] 3 measures battery state-of-health, and classifies batteries into 3 categories: Good, Fair and Poor using patented Cadex technology. The program accepts partially charged batteries and applies a brief change if low.



THERMAL PRINTER

The Thermal Receipt Printer enables direct printing of small receipt and vouchers for customers after a battery test has been completed. The unit is lightweight and features a small footprint.

Part Number: 00-004-3090

UNIVERSALLY COMPATIBLE

TEST YOUR BATTERIES WITH THE INCLUDED ADAPTER OR ANY OF THE 3,000+ CUSTOM ONES AVAILABLE



RIGIDARM™ ADAPTER INCLUDED

The universal RigidArm[™] Adapter allows easy connection to mobile phone batteries. Spring-loaded arms lock in the upright position for quick loading, a retractable floor holds batteries vertically, and temperature sensor ensures safe operation.

- Quick setup, enables repeat action
- Holds 10 common mAh settings
- Compatible with SnapLock[™] adapters

Part Number: 07-110-0192



3,000+ CUSTOM ADAPTERS

Custom-built SnapLock[™] adapters allow easy interface with commercial packs. The adapters contain the necessary programming (C-Codes) to configure the analyzer to the correct setting. Each adapter can be configured with up to 10 C-codes to service different battery types.

For more information, go to cadex.com/adapters to order yours today!

"The Cadex analyzers provide the competitive edge of the best service in the business: immediate in-the-store resolution of technical problems for our customers **1**

Jeff Sorrels Special Project Manager **Sprint**

A HOME RUN ON CUSTOMER EXPERIENCE



Increase customer satisfaction with on-the-spot battery diagnostics



CELL REPAIR CENTERS

For Reverse Logistics Programs, or over-the-counter Repair Service



WAREHOUSING

For handheld scanners, tablets and other mobile equipment



YOUR LIFE. EMPOWERED

Cadex Electronics, Inc. Visit **cadex.com/c5** for more information Enquiries: **info@cadex.com**

@cadexelectronics

